


◆ Memo

Product	PRO-6000		
Date of purchase			
Name		Tel	
Address			

PUREPRO
DRINKING WATER SYSTEM

SHOWER FILTER

USER'S MANUAL



Thank you very much for selecting PurePro's Shower Filter. In order to bring the best use of your shower filter, please read the user's manual carefully before installation, and follow the regulations.

◆ Description of Shower Filter

Studies show that for gaining better health, chlorine contained in water should be removed from our drinking water. Hence chlorine should also be removed from water used for shower, bath, and facial cleansing. Shower Filter is considered as de-chlorinated shower filter that is capable of removing 90%, or even higher amount of chlorine during shower. By using the shower filter, one not only can personally re-experience smooth skin and a younger looks, but also re-experience soft and more manageable hair. Even color-treated or damage hair can be repaired.

◆ Special Features

- Remove 95% of chlorine contained in water
- Remove 98% of heavy metal contained in water
- Remove chemical substance contained in water
- Stop the growth of bacteria by applying KDF filter
- Multi-layer filter to make filtration more effective
- Easy-understood twisted manual timer
- Easy-installation
- Replaceable filter cartridge

◆ FAQ

Q: What I should do if water flow is shrinking, or no water is coming out.

A: Please check if the pre-filter is clogged with dirt/sands. If so, change the pre-filter right away.

Q: Why did the color of the pre-filter change after using the shower filter for a while?

A: There is nothing to worry about. It is normal that dirt and sediments will be attached to the pre-filter.


Q: Can I drink water directly from the shower filter?

A: Shower Filter is best used for shower instead of drinking. Please select a RO system that can best suit your need for drinking water purposes.


◆ Caution

- Let water run for about 30 seconds when using it the first time.
- Change the pre-filter regularly.
- Maintenance schedule can vary depends on the quality of water and consumption of water.

◆ Installation Diagram




5. Connect the tubing back to the end of the shower filter.



6. Hold the shower head. Have water running for about 30 seconds before using the shower filter.

◆ Change Pre-filter

1. Twist the shower filter anti-clockwise.
2. Replace the old pre-filter with a new one.




◆ Parts of Shower Filter



Shower filter



Faucet transformer



Pre-filter


◆ Specifications

Life of service	6 months
Pre-filter	KDF and Carbon
Size	Diameter- 3.25 inches (8cm) Length- 4.25 inches (10.5 cm)
Weight	22 oz. (616 g)
Color	White
Heavy metal removal percentage	98%
Fluoride removal percentage	95%
Dirt & sediment removal percentage	90%

◆ Description of pre-filter


This shower filter uses a patented filtering medium called KDF 55. This 'golden sand' is made of a special high purity copper and zinc alloy. It effectively removes chlorine and other contaminants including iron, arsenic, mercury, dirt, sediment, odors. Enjoy smoother softer skin, and reduce skin rashes, with less sinus irritation and healthier hair.

Granular Activated Carbon Block Filter





◆ Easy-understood Twisted Manual Timer

Designed to record the time when start to use it. Twist the arrow to the month when first start using the shower filter. Remember to change the pre-filter every 6 to 8 months.




◆ Installation Diagram

1. Tight up the faucet transformer with the shower filter.



2. Loose the tubing from the shower faucet.

3. Tight up the shower filter with the shower faucet as shown on the picture.



4. Use a tool to tighten the screw.

